



Out of the box

<input type="checkbox"/>	e-STUDIO5008LP	6AG00007844	<input type="checkbox"/>	e-STUDIO4508LP	6AG00007852	<input type="checkbox"/>	e-STUDIO3508LP	6AG00007848
--------------------------	-----------------------	-------------	--------------------------	-----------------------	-------------	--------------------------	-----------------------	-------------



- > A3, monochrome Eco hybrid system
Functions: print, erase, colour scan, copy
- > Toshiba e-BRIDGE controller
- > 22.9 cm (9") multi-touch colour panel
- > 2x cassettes
 - Virgin paper: 550-sheet capacity each, A5R-A3, 60-256 g/m²
 - Reusable paper: 400-sheet capacity each, A5R-A3, 64-80 g/m²
- > Bypass
 - Virgin paper: 100-sheet capacity, 100 x 148 mm-A3, 52-256 g/m²
 - Reusable paper: 30-sheet capacity, A5R-A3, 64-80 g/m²
- > Automatic Duplex Unit
- > 10Base-T/100Base-TX/1000Base-T interface
- > Toshiba Secure HDD 320 GB / 4 GB RAM
- > Internal USB Hub
- > TopAccess
- > Starter Kit
 - incl. drums and waste toner box
- > Dimensions & Weight
 - 585 x 640 x 787 mm (W x D x H), 73 kg

e-STUDIO RD301 (KH-1021EU)
Art. no.: 6AH00000783



- > Paper Reusing Device
Functions: single-pass duplex scan and erase, sort
- > Document feeder, 100 sheets
 - A5R-A4, 64-80 g/m²
- > Re-usable paper cassette, 400 sheets
 - A5R-A4
- > Rejected paper cassette, 100 sheets
 - A5R-A4
- > Graphic LCD panel
- > Dimensions & Weight
 - 470 x 470 x 825 mm (W x D x H), ~45 kg

Manual e-STUDIO3508LP/4508LP/5008LP

<input type="checkbox"/>	German (QSG only)	6BC02232616
--------------------------	--------------------------	-------------

Document Feeder

<input type="checkbox"/>	KA-5005PC	6AG00006726	Platen Cover	Only one option must be installed.
<input type="checkbox"/>	MR-3031-B	6AH00000976	Reversing Automatic Document Feeder (RADF) 100-sheet capacity, A5R-A3, 35-157 g/m ² , 575 x 531 x 135 mm (W x D x H), 12.5 kg	
<input type="checkbox"/>	MR-4000-B	6AH00000982	Dual Scan Document Feeder (DSDF) 300-sheet capacity, A5R-A3, 35-209 g/m ² , 575 x 531 x 180 mm (W x D x H), 14 kg	

Paper Sources

<input type="checkbox"/>	KD-1059A4-B	6AR00001046	Large Capacity Feeder (not for reusable paper) 1x 2,000 sheets, A4, 64-105 g/m ² , 668 x 735 x 292 mm (W x D x H), 25 kg	Only one option can be installed.
<input type="checkbox"/>	KD-1058-B	6AG00008612	Paper Feed Pedestal 1x cassette, 550-sheet capacity, A5R-A3, 60-256 g/m ² , 668 x 701 x 292 mm (W x D x H), 16 kg For reusable paper: 400-sheet capacity, A5R-A3, 64-80 g/m ²	
<input type="checkbox"/>	MY-1048-B	6AG00008621	Drawer Module for KD-1058 1x 550-sheet capacity, A5R-A3, 60-256 g/m ² For reusable paper: 400-sheet capacity, A5R-A3, 64-80 g/m ²	This item requires PFP KD-1058. It cannot be installed with two MY-1049 in the PFP.
<input type="checkbox"/>	MY-1049-B	6AG00008627	Envelope Drawer (not for reusable paper) For envelopes: 50-envelope capacity, 100x162 - 240x380 mm, 60-85 g/m ² For paper: 550-sheet capacity, A5R-A4R, 60-256 g/m ²	This item can replace 2 nd cassette and/or be installed in the PFP KD-1058.

- 1x
- 2x
- 3x

Desk

<input type="checkbox"/>	MH-5005	6AR00001003	Desk 575 x 583 x 260 mm (W x D x H), 14.7 kg	This item cannot be installed with LCF KD-1059A4 or PFP KD-1058.
--------------------------	----------------	-------------	---	--

Finishing

Finishing functions are not available when printing in Erasable Blue.

<input type="checkbox"/>	MJ-5015	6AG00006735	Job Separator 2 inner trays, 150- and 250-sheet capacity For reusable paper: 120- and 200-sheet capacity	Only one option can be installed.	
<input type="checkbox"/>	MJ-1042-B	6AR00001047	Inner Finisher 2 trays, 600-sheet capacity, 50-sheet multi-position stapling, A4R-A3, 60-105 g/m ² (stapling mode), 482 x 508 x 232 mm (W x D x H), 15 kg For reusable paper: 480-sheet capacity		
<input type="checkbox"/>	MJ-6011E	6AR00000952	Hole Punch Unit (2 holes, 80 mm pitch)	126 x 464 x 174 mm (W x D x H), 3 kg	Only one option can be installed.
<input type="checkbox"/>	MJ-6011F	6AR00000957	Hole Punch Unit (4 holes, 80 mm pitch)		These items are optional for Inner Finisher MJ-1042.
<input type="checkbox"/>	MJ-6011S	6AR00000963	Hole Punch Unit (4 holes, 21/70/21 mm pitch)		
<input type="checkbox"/>	MJ-1109-B	6AH00000970	Multi-Staple Finisher 2 trays, 2,250-sheet capacity, 50-sheet multi-position stapling, A4R-A3, 60-105 g/m ² (stapling mode), 535 x 598 x 1,092 mm (W x D x H), 34 kg For reusable paper: 500-sheet capacity	Only one option can be installed.	These items cannot be used if a Job Separator or Inner Finisher is connected to the system.
<input type="checkbox"/>	MJ-1110	6AH00000810	Saddle-Stitch Finisher 2 trays, 3,250-sheet capacity, Saddle-stitched booklets of up to 60 pages, 50-sheet multi-position stapling, A4R-A3, 60-105 g/m ² (stapling mode), 617 x 603 x 1,085 mm (W x D x H), 70 kg For reusable paper: 500-sheet capacity		
<input type="checkbox"/>	KN-5005	6AH00000798	Bridge Kit		
<input type="checkbox"/>	MJ-6105E	6AH00000823	Hole Punch Unit (2 holes, 80 mm pitch)	112 x 573 x 323 mm (W x D x H), 7 kg	Only one option can be installed.
<input type="checkbox"/>	MJ-6105F	6AH00000829	Hole Punch Unit (4 holes, 80 mm pitch)		These items are optional for Finishers MJ-1109 and MJ-1110.
<input type="checkbox"/>	MJ-6105S	6AH00000835	Hole Punch Unit (4 holes, 21/70/21 mm pitch)		

Other

<input type="checkbox"/>	GQ-1280	6A000001699	Harness Kit for Coin Controller
<input type="checkbox"/>	KK-5008	6AR00001025	Manual Pocket
<input type="checkbox"/>	KK-2560	6A000001733	Accessible Arm
<input type="checkbox"/>	KK-5005	6AR00000925	Work Tray
<input type="checkbox"/>	GR-1250	6AH00000919	Accessory Tray
<input type="checkbox"/>	GR-1260	6AR00000993	Panel Ten-Key Option
<input type="checkbox"/>	GS-1080	6A000001700	Embedded OCR Enabler (1 licence)
<input type="checkbox"/>	GS-1085	6A000001711	Embedded OCR Enabler (5 licences)
<input type="checkbox"/>	GS-1090	6A000001715	Multi Station Print Enabler (1 licence)
<input type="checkbox"/>	GS-1095	6A000001704	Multi Station Print Enabler (5 licences)

Memory

<input type="checkbox"/>	GE-1230	6AG00006088	FIPS HDD (320 GB)
--------------------------	----------------	-------------	-------------------

Fax

<input type="checkbox"/>	GD-1370EU	6AH00000841	Fax Board	2 nd fax line requires additional Fax Board. Maximum two Fax Boards can be installed.
--------------------------	------------------	-------------	-----------	---

Network

<input type="checkbox"/>	GN-4020	6AG00007054	Wireless LAN (IEEE802.11 b/g/n including Wi-Fi-Direct)/Bluetooth Module
--------------------------	----------------	-------------	---

e-BRIDGE ID-Gate

The following card readers are available for internal installation (with a 0.45 m cable) and for external installation (black, with a 2 m cable). Either one option can be installed. Requires GR-1310 if installed with GN-4020. All internal card readers require the Internal Card Reader Holder GR-1320.

Internal card reader (with a 0.45 m cable)

<input type="checkbox"/>	TWN4 Multitec 2 LF DT	6BC02232765	Single-frequency
<input type="checkbox"/>	TWN4 Multitec 2 LF-P DT	6BC02232767	Single-frequency
<input type="checkbox"/>	TWN4 Multitec 2 HF DT	6BC02232769	Single-frequency
<input type="checkbox"/>	TWN4 Multitec 2 HF-I DT	6BC02232771	Single-frequency
<input type="checkbox"/>	TWN4 Multitec DT	6BC02232773	Multi-frequency
<input type="checkbox"/>	TWN4 Multitec-P DT	6BC02232775	Multi-frequency
<input type="checkbox"/>	TWN4 Multitec-PI DT	6BC02232777	Multi-frequency
<input type="checkbox"/>	TWN4 Multitec Legic 42 DT	6BC02232779	Multi-frequency
<input type="checkbox"/>	TWN4 Multitec-P Legic 42 DT	6BC02232781	Multi-frequency
<input type="checkbox"/>	GR-1320	6AG00008429	Internal Card Reader Holder

External card reader (with a 2 m cable)

<input type="checkbox"/>	TWN4 Multitec 2 LF DT	6BC02232764	Single-frequency
<input type="checkbox"/>	TWN4 Multitec 2 LF-P DT	6BC02232766	Single-frequency
<input type="checkbox"/>	TWN4 Multitec 2 HF DT	6BC02232768	Single-frequency
<input type="checkbox"/>	TWN4 Multitec 2 HF-I DT	6BC02232770	Single-frequency
<input type="checkbox"/>	TWN4 Multitec DT	6BC02232772	Multi-frequency
<input type="checkbox"/>	TWN4 Multitec-P DT	6BC02232774	Multi-frequency
<input type="checkbox"/>	TWN4 Multitec-PI DT	6BC02232776	Multi-frequency
<input type="checkbox"/>	TWN4 Multitec Legic 42 DT	6BC02232778	Multi-frequency
<input type="checkbox"/>	TWN4 Multitec-P Legic 42 DT	6BC02232780	Multi-frequency
<input type="checkbox"/>	Bracket Holder Mounting Kit Black	6BC02232522	

Security

<input type="checkbox"/>	GP-1070	6A000001051	Data Overwrite Enabler
<input type="checkbox"/>	GP-1080	6A000001053	IPsec Enabler

Open Platform

<input type="checkbox"/>	GS-1010	6A000001055	Meta Scan Enabler
<input type="checkbox"/>	GS-1007	6A000001309	Unicode Font Enabler

Supplies

Toner

<input type="checkbox"/>	T-3535EE	6AG00007933	Blue Toner (21.5k yield)	Yield is based on 5% toner coverage
<input type="checkbox"/>	T-3535EK	6AG00008678	Black Toner (38.4k yield)	

Developer

<input type="checkbox"/>	D-3535E	6LK76760000	Blue Developer (210k yield)
<input type="checkbox"/>	D-FC505-K	6LK49016300	Black Developer (210k yield)

Waste Toner Box

<input type="checkbox"/>	TB-FC505E	6AG00007695	Waste Toner Box (80k erasable blue/120k monochrome black yield)	Starter Kit includes Waste Toner Box.
--------------------------	------------------	-------------	---	---------------------------------------

Drum

<input type="checkbox"/>	OD-FC505	6LK49015000	Black/Erasable Blue Drum (210k yield)	Starter Kit includes Drums.
--------------------------	-----------------	-------------	---------------------------------------	-----------------------------

Staples

<input type="checkbox"/>	Staple-2400	6A000000706	Staples for MJ-1042, MJ-1109 and MJ-1110 (3x 5,000 staples)
<input type="checkbox"/>	Staple-3100	6A000001023	Staples for MJ-1110 (4x 2,000 saddle-stitch staples)